

## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Presented) A method, comprising the steps of:

determining a plurality of communication devices associated with an identity;

determining at least one media capability associated with each of said plurality of communication devices;

determining an availability state for each of said at least one media capability associated with each of said plurality of communication devices, where the availability state provides an indication of the availability for each of said at least one specific media capability; and

providing, via a user interface, an aggregated view of the availability states for each of said at least one media capability associated with the identity, wherein the aggregated view of the availability states for each of said at least one media capability associated with the identity does not display said plurality of communication devices associated with the identity via the user interface.

2. (Previously Presented) The method of claim 1, further comprising the step of:

receiving a request for information regarding media capability availability for said identity.

3. (Previously Presented) The method of claim 1, further comprising the step of:

receiving a request for information regarding media capability availability for said plurality of communication devices.

4. (Canceled)

5. (Canceled)

6. (Previously Presented)      The method of claim 1, wherein said providing of said aggregated view of data indicative of said availability states further provides information identifying said identity.

7. (Previously Presented)      The method of claim 1, wherein said providing of said aggregated view of data indicative of said availability states further provides information identifying an identity context associated with said identity.

8. (Previously Presented)      The method of claim 1, further comprising the step of:  
  
determining a device context for each of said plurality of communication devices.

9. (Previously Presented)      The method of claim 1, further comprising the

step of:

determining a rule governing availability of said at least one media capability.

10. (Previously Presented)      The method of claim 1, further comprising the step of:

determining a rule that governs how availability of said at least one media capability is to be determined.

11. (Original)      The method of claim 1, further comprising the step of:

determining an identity context for said identity.

12 – 16. (Canceled)

17. (Previously Presented)      An article of manufacture comprising:

a computer readable medium having stored thereon instructions which, when executed by a processor, cause said processor to:

determine a plurality of communication devices associated with a identity;

determine at least one media capability associated with each of said plurality of devices;

determine an availability state for each of said at least one media capability associated with each of said plurality of communication devices, where the availability state provides an indication of the availability for each of said at least one specific media capability; and

provide, via a user interface, an aggregated view of data indicative of said the availability states for each of said at least one media capability associated with the identity, wherein the aggregated view of the availability states for each of said at least one media capability associated with the identity does not display said plurality of communication devices associated with the identity via the user interface.

18. (Previously Presented)      A system, comprising:

a processor;

a communication port coupled to said processor and adapted to communicate with at least one device; and

a storage device coupled to said processor and storing instructions adapted to be executed by said processor to:

determine a plurality of communication devices associated with an identity;

determine at least one media capability associated with each of said plurality of communication devices;

determine an availability state for each of said at least one media capability associated with each of said plurality of communication devices, where the

availability state provides an indication of the availability for each of said at least one specific media capability; and

provide, via a user interface, an aggregated view of data indicative of said the availability states for each of said at least one media capability associated with the identity, wherein the aggregated view of the availability states for each of said at least one media capability associated with the identity does not display said plurality of communication devices associated with the identity via the user interface.